

Leaflet: Indications for the user

### **CERVIRON** ovules

The qualitative and quantitative composition: An ovule contains bismuth subgallate -100 mg, hydrolyzed collagen -15,0 mg, thyme extract (*Thymus vulgaris*) -10 mg, Hydrastis Canadensis extract -10 mg, calendula glycolic extract (*Calendula officinalis*) -10 mg, Turmeric extract (*Curcuma longa*) -10 mg, hexylresorcinol -2,0 mg.

**Pharmaceutical form:** Homogeneous, yellow to intense yellow-coloured ovules, free of undissolved particles or air bubbles.

Therapeutic indications: Adjuvant in the treatment of acute and chronic vulvovaginitis, cervicitis, leucorrhoea, cervical lesions of mechanical, inflammatory or infectious etiology.

#### Mode of action:

The bismuth subgallate (dermatol) has an astringent action which gives it a hemostatic and siccative effect by the adsorption of tissue secretion excess on the surface of the particles. The hexylresorcinol is an organic compound with antiseptic, anthelmintic and local anaesthetic properties.

The collagen hydrolysate is the main constructive component of the living tissues, as a complex of amino acids, with nutritive, hydrating, cicatrising, trophic effect.

The thyme extract exerts a strong antibacterial activity on the Gram-positive and Gram-negative bacteria.

**The Hydrastis canadensis extract** has antioxidant and anti-inflammatory properties due to the berberine.

The calendula liquid extract has a cicatrising, anti-trichomonas action, reducing the excessive secretion (leucorrhoea).

The Turmeric extract is one of the most powerful natural anti-inflammatories. All these active components being incorporated in an inert base of solid fats and lanolin, they appear as a homogeneous dispersion. Due to this composition, Cerviron – ovules ameliorate the inflammatory events in the vagina and cervix, maintains the trophicity of the vaginal mucosa, it has antiseptic effects on the intravaginal and cervical pathogenic flora.

# Dosage and administration:

The recommended dose is 1 Cerviron ovule vaginally administered, in the evening, preferably following the vaginal irrigation. The treatment starts on the first day after ending the menstruation and is administered for 10-15 days a month. It may be repeated for several months, until recovery or for consolidating and maintaining the favourable effects attained.



#### Contraindications

Hypersensitivity to any of the product components. Pregnancy.

## Special warnings and precautions for use

Considering the product composition, generally there are no precautions required. Due to insufficient data on administration during pregnancy, cautiousness is recommended in case of use on pregnant women. Prior to administration, vaginal irrigations are recommended to be performed.

## Pregnancy and lactation

Due to an absence of sufficient clinical data, Cerviron – ovules is contraindicated in pregnant women. No precautions are required in case of use during nursing.

# Effects on the ability to drive vehicles and employ machinery

None of the product components influence the ability to drive vehicles or to employ machinery.

#### Adverse reactions

Local, mild, transient irritations may appear rarely. Hypersensitisation reactions may appear.

### Special precautions for storage

Keep at temperatures below 30°C, in the original package, away from direct sunlight.

## Nature and content of the package:

2 thermo-welded foils made of PVC/PE, of 5 ovules each

Manufacturer: SC Perfect Care Distribution SRL, Str. Nicolae Pascu, nr. 4, Bl. R2, Sc. A, Sector 3, Bucharest

The undersigned IRINA RAHMANOV sworn official translator and interpreter for ENGLISH, RUSSIAN languages, based on the Translation License no. 23073, and renewed on 9.09.2008 issued by the Romanian Ministry of Justice, I hereby certify that this translation from Romanian into English is true and accurate, that the source text is translated without omissions and that the meaning and contents of the document were not modified by translation.

